



## QIIA7.E362479

### Photovoltaic Modules and Panels with System Voltage Ratings Over 600 Volts Certified for Canada

[Page Bottom](#)

### Photovoltaic Modules and Panels with System Voltage Ratings Over 600 Volts Certified for Canada

See General Information for Photovoltaic Modules and Panels with System Voltage Ratings Over 600 Volts Certified for Canada

#### JINKO SOLAR CO LTD

E362479

NO 1 JINKO RD  
SHANGRAO ECONOMIC  
DEVELOPMENT ZONE  
SHANGRAO, JIANGXI 334100 CHINA

Cat. No.	Electrical Rating				Fire Class
	I <sub>sc</sub>	V <sub>oc</sub>	P <sub>max</sub>	Max System V <sub>dc</sub>	
Photovoltaic module					
JKM250P-72	8.09	43.5	250	1000	C
JKM255P-72	8.18	43.7	255	1000	C
JKM260P-72	8.26	43.9	260	1000	C
JKM265P-72	8.33	44.1	265	1000	C
JKM270P-72	8.43	44.2	270	1000	C
JKM275P-72	8.49	44.4	275	1000	C
JKM280P-72	8.58	44.5	280	1000	C
JKM285P-72	8.61	44.7	285	1000	C
JKM290P-72	8.69	44.9	290	1000	C
JKM295P-72	8.76	45.1	295	1000	C
JKM300P-72	8.84	45.3	300	1000	C
JKM305P-72	8.91	45.6	305	1000	C
JKM310P-72	8.96	45.9	310	1000	C
JKM315P-72	9.01	46.2	315	1000	C
JKM320P-72	9.05	46.4	320	1000	C
JKM200P-60	8.09	35.3	200	1000	C
JKM205P-60	8.18	35.5	205	1000	C
JKM210P-60	8.25	35.8	210	1000	C
JKM215P-60	8.31	36.1	215	1000	C
JKM220P-60	8.41	36.3	220	1000	C
JKM225P-60	8.48	36.6	225	1000	C
JKM230P-60	8.56	36.8	230	1000	C
JKM235P-60	8.65	37.0	235	1000	C
JKM240P-60	8.71	37.3	240	1000	C
JKM245P-60	8.76	37.5	245	1000	C
JKM250P-60	8.85	37.7	250	1000	C
JKM255P-60	8.92	38.0	255	1000	C
JKM260P-60	8.98	38.1	260	1000	C

JKM265P-60	9.03	38.6	265	1000	C
JKM250PP-72	8.09	43.5	250	1000	C
JKM255PP-72	8.18	43.7	255	1000	C
JKM260PP-72	8.26	43.9	260	1000	C
JKM265PP-72	8.33	44.1	265	1000	C
JKM270PP-72	8.43	44.2	270	1000	C
JKM275PP-72	8.49	44.4	275	1000	C
JKM280PP-72	8.58	44.5	280	1000	C
JKM285PP-72	8.61	44.7	285	1000	C
JKM290PP-72	8.69	44.9	290	1000	C
JKM295PP-72	8.76	45.1	295	1000	C
JKM300PP-72	8.84	45.3	300	1000	C
JKM305PP-72	8.91	45.6	305	1000	C
JKM310PP-72	8.96	45.9	310	1000	C
JKM315PP-72	9.01	46.2	315	1000	C
JKM320PP-72	9.05	46.4	320	1000	C
JKM200PP-60	8.09	35.3	200	1000	C
JKM205PP-60	8.18	35.5	205	1000	C
JKM210PP-60	8.25	35.8	210	1000	C
JKM215PP-60	8.31	36.1	215	1000	C
JKM220PP-60	8.41	36.3	220	1000	C
JKM225PP-60	8.48	36.6	225	1000	C
JKM230PP-60	8.56	36.8	230	1000	C
JKM235PP-60	8.65	37.0	235	1000	C
JKM240PP-60	8.71	37.3	240	1000	C
JKM245PP-60	8.76	37.5	245	1000	C
JKM250PP-60	8.85	37.7	250	1000	C
JKM255PP-60	8.92	38.0	255	1000	C
JKM260PP-60	8.98	38.1	260	1000	C
JKM265PP-60	9.03	38.6	265	1000	C
JKM250M-72	7.84	43.3	250	1000	C
JKM255M-72	7.92	43.6	255	1000	C
JKM260M-72	7.99	43.9	260	1000	C
JKM265M-72	8.07	44.1	265	1000	C
JKM270M-72	8.15	44.4	270	1000	C
JKM275M-72	8.23	44.6	275	1000	C
JKM280M-72	8.32	44.8	280	1000	C
JKM285M-72	8.40	45.0	285	1000	C
JKM290M-72	8.47	45.2	290	1000	C
JKM295M-72	8.55	45.3	295	1000	C
JKM300M-72	8.64	45.5	300	1000	C
JKM305M-72	8.72	45.7	305	1000	C
JKM310M-72	8.80	45.9	310	1000	C
JKM315M-72	8.87	46.1	315	1000	C
JKM320M-72	8.95	46.3	320	1000	C
JKM200M-60	8.09	35.3	200	1000	C
JKM205M-60					

	8.18	35.5	205	1000	C
JKM210M-60	8.25	35.8	210	1000	C
JKM215M-60	8.31	36.1	215	1000	C
JKM220M-60	8.41	36.3	220	1000	C
JKM225M-60	8.48	36.6	225	1000	C
JKM230M-60	8.56	36.8	230	1000	C
JKM235M-60	8.65	37.0	235	1000	C
JKM240M-60	8.71	37.3	240	1000	C
JKM245M-60	8.76	37.5	245	1000	C
JKM250M-60	8.85	37.7	250	1000	C
JKM255M-60	8.92	38.0	255	1000	C
JKM265M-60	9.10	37.9	265	1000	C
JKM270M-60	9.19	38.2	270	1000	C
JKM275M-60	9.28	38.4	275	1000	C
JKM280M-60	9.40	38.5	280	1000	C
JKM285M-60	9.53	38.6	285	1000	C
JKM250P-72B	8.09	43.5	250	1000	C
JKM255P-72B	8.18	43.7	255	1000	C
JKM260P-72B	8.26	43.9	260	1000	C
JKM265P-72B	8.33	44.1	265	1000	C
JKM270P-72B	8.43	44.2	270	1000	C
JKM275P-72B	8.49	44.4	275	1000	C
JKM280P-72B	8.58	44.5	280	1000	C
JKM285P-72B	8.61	44.7	285	1000	C
JKM290P-72B	8.69	44.9	290	1000	C
JKM295P-72B	8.76	45.1	295	1000	C
JKM300P-72B	8.84	45.3	300	1000	C
JKM305P-72B	8.91	45.6	305	1000	C
JKM310P-72B	8.96	45.9	310	1000	C
JKM315P-72B	9.01	46.2	315	1000	C
JKM320P-72B	9.05	46.4	320	1000	C
JKM200P-60B	8.09	35.3	200	1000	C
JKM205P-60B	8.18	35.5	205	1000	C
JKM210P-60B	8.25	35.8	210	1000	C
JKM215P-60B	8.31	36.1	215	1000	C
JKM220P-60B	8.41	36.3	220	1000	C
JKM225P-60B	8.48	36.6	225	1000	C
JKM230P-60B	8.56	36.8	230	1000	C
JKM235P-60B	8.65	37.0	235	1000	C
JKM240P-60B	8.71	37.3	240	1000	C
JKM245P-60B	8.76	37.5	245	1000	C
JKM250P-60B	8.85	37.7	250	1000	C
JKM255P-60B	8.92	38.0	255	1000	C
JKM260P-60B	8.98	38.1	260	1000	C
JKM265P-60B	9.03	38.6	265	1000	C
JKM250PP-72B	8.09	43.5	250	1000	C
JKM255PP-72B					

	8.18	43.7	255	1000	C
JKM260PP-72B	8.26	43.9	260	1000	C
JKM265PP-72B	8.33	44.1	265	1000	C
JKM270PP-72B	8.43	44.2	270	1000	C
JKM275PP-72B	8.49	44.4	275	1000	C
JKM280PP-72B	8.58	44.5	280	1000	C
JKM285PP-72B	8.61	44.7	285	1000	C
JKM290PP-72B	8.69	44.9	290	1000	C
JKM295PP-72B	8.76	45.1	295	1000	C
JKM300PP-72B	8.84	45.3	300	1000	C
JKM305PP-72B	8.91	45.6	305	1000	C
JKM310PP-72B	8.96	45.9	310	1000	C
JKM315PP-72B	9.01	46.2	315	1000	C
JKM320PP-72B	9.05	46.4	320	1000	C
JKM200PP-60B	8.09	35.3	200	1000	C
JKM205PP-60B	8.18	35.5	205	1000	C
JKM210PP-60B	8.25	35.8	210	1000	C
JKM215PP-60B	8.31	36.1	215	1000	C
JKM220PP-60B	8.41	36.3	220	1000	C
JKM225PP-60B	8.48	36.6	225	1000	C
JKM230PP-60B	8.56	36.8	230	1000	C
JKM235PP-60B	8.65	37.0	235	1000	C
JKM240PP-60B	8.71	37.3	240	1000	C
JKM245PP-60B	8.76	37.5	245	1000	C
JKM250PP-60B	8.85	37.7	250	1000	C
JKM255PP-60B	8.92	38.0	255	1000	C
JKM260PP-60B	8.98	38.1	260	1000	C
JKM265PP-60B	9.03	38.6	265	1000	C
JKM250M-72B	7.84	44.3	250	1000	C
JKM255M-72B	7.92	43.6	255	1000	C
JKM260M-72B	7.99	43.9	260	1000	C
JKM265M-72B	8.07	44.1	265	1000	C
JKM270M-72B	8.15	44.4	270	1000	C
JKM275M-72B	8.23	44.6	275	1000	C
JKM280M-72B	8.32	44.8	280	1000	C
JKM285M-72B	8.40	45.0	285	1000	C
JKM290M-72B	8.47	45.2	290	1000	C
JKM295M-72B	8.55	45.3	295	1000	C
JKM300M-72B	8.64	45.5	300	1000	C
JKM305M-72B	8.72	45.7	305	1000	C
JKM310M-72B	8.80	45.9	310	1000	C
JKM315M-72B	8.87	46.1	315	1000	C
JKM320M-72B	8.95	46.3	320	1000	C
JKM200M-60B	8.09	35.3	200	1000	C
JKM205M-60B	8.18	35.5	205	1000	C
JKM210M-60B	8.25	35.8	210	1000	C
JKM215M-60B					

	8.31	36.1	215	1000	C
JKM220M-60B	8.41	36.3	220	1000	C
JKM225M-60B	8.48	36.6	225	1000	C
JKM230M-60B	8.56	36.8	230	1000	C
JKM235M-60B	8.65	37.3	235	1000	C
JKM240M-60B	8.71	37.3	240	1000	C
JKM245M-60B	8.76	37.5	245	1000	C
JKM250M-60B	8.85	37.7	250	1000	C
JKM255M-60B	8.92	38.0	255	1000	C
JKM265M-60B	9.10	37.9	265	1000	C
JKM270M-60B	9.19	38.2	270	1000	C
JKM275M-60B	9.28	38.4	275	1000	C
JKM280M-60B	9.40	38.5	280	1000	C
JKM285M-60B	9.53	38.6	285	1000	C
JKMS250P-72	8.52	41.3	250	1000	C
JKMS255P-72	8.61	41.5	255	1000	C
JKMS260P-72	8.70	41.7	260	1000	C
JKMS265P-72	8.77	41.9	265	1000	C
JKMS270P-72	8.87	42.0	270	1000	C
JKMS275P-72	8.94	42.2	275	1000	C
JKMS280P-72	9.03	42.3	280	1000	C
JKMS285P-72	9.06	42.5	285	1000	C
JKMS290P-72	9.15	42.7	290	1000	C
JKMS295P-72	9.22	42.8	295	1000	C
JKMS300P-72	9.31	43.0	300	1000	C
JKMS305P-72	9.38	43.3	305	1000	C
JKMS310P-72	9.43	43.6	310	1000	C
JKMS315P-72	9.48	43.9	315	1000	C
JKMS320P-72	9.53	44.1	320	1000	C
JKMS200P-60	8.53	33.5	200	1000	C
JKMS205P-60	8.61	33.7	205	1000	C
JKMS210P-60	8.68	34.0	210	1000	C
JKMS215P-60	8.75	34.3	215	1000	C
JKMS220P-60	8.85	34.5	220	1000	C
JKMS225P-60	8.92	34.8	225	1000	C
JKMS230P-60	9.01	35.0	230	1000	C
JKMS235P-60	9.10	35.2	235	1000	C
JKMS240P-60	9.17	35.4	240	1000	C
JKMS245P-60	9.23	35.6	245	1000	C
JKMS250P-60	9.32	35.8	250	1000	C
JKMS255P-60	9.39	36.1	255	1000	C
JKMS260P-60	9.45	36.2	260	1000	C
JKMS265P-60	9.51	36.7	265	1000	C
JKMS250M-72	7.84	43.4	250	1000	C
JKMS255M-72	7.92	43.6	255	1000	C
JKMS260M-72	7.99	43.9	260	1000	C
JKMS265M-72					

	8.07	44.1	265	1000	C
JKMS270M-72	8.15	44.4	270	1000	C
JKMS275M-72	8.23	44.6	275	1000	C
JKMS280M-72	8.32	44.8	280	1000	C
JKMS285M-72	8.40	45.0	285	1000	C
JKMS290M-72	8.47	45.2	290	1000	C
JKMS295M-72	8.55	45.3	295	1000	C
JKMS300M-72	8.64	45.5	300	1000	C
JKMS305M-72	8.72	45.7	305	1000	C
JKMS310M-72	8.80	45.9	310	1000	C
JKMS315M-72	8.87	46.1	315	1000	C
JKMS320M-72	8.95	46.3	320	1000	C
JKMS200M-60	8.09	35.3	200	1000	C
JKMS205M-60	8.18	35.5	205	1000	C
JKMS210M-60	8.25	35.8	210	1000	C
JKMS215M-60	8.31	36.1	215	1000	C
JKMS220M-60	8.41	36.3	220	1000	C
JKMS225M-60	8.48	36.6	225	1000	C
JKMS230M-60	8.56	36.8	230	1000	C
JKMS235M-60	8.65	37.0	235	1000	C
JKMS240M-60	8.71	37.3	240	1000	C
JKMS245M-60	8.76	37.5	245	1000	C
JKMS250M-60	8.85	37.7	250	1000	C
JKMS255M-60	8.92	38.0	255	1000	C
JKMS260M-60	9.10	37.9	260	1000	C
JKMS265M-60	9.19	38.2	265	1000	C
JKMS270M-60	9.28	38.4	270	1000	C
JKMS275M-60	9.40	38.5	275	1000	C
JKMS280M-60	9.53	38.6	280	1000	C
JKMS250PP-72	8.52	41.3	250	1000	C
JKMS255PP-72	8.61	41.5	255	1000	C
JKMS260PP-72	8.70	41.7	260	1000	C
JKMS265PP-72	8.77	41.9	265	1000	C
JKMS270PP-72	8.87	42.0	270	1000	C
JKMS275PP-72	8.94	42.2	275	1000	C
JKMS280PP-72	9.03	42.3	280	1000	C
JKMS285PP-72	9.06	42.5	285	1000	C
JKMS290PP-72	9.15	42.7	290	1000	C
JKMS295PP-72	9.22	42.8	295	1000	C
JKMS300PP-72	9.31	43.0	300	1000	C
JKMS305PP-72	9.38	43.3	305	1000	C
JKMS310PP-72	9.43	43.6	310	1000	C
JKMS315PP-72	9.48	43.9	315	1000	C
JKMS320PP-72	9.53	44.1	320	1000	C
JKMS200PP-60	8.53	33.5	200	1000	C
JKMS205PP-60	8.61	33.7	205	1000	C
JKMS210PP-60					

	8.68	34.0	210	1000	C
JKMS215PP-60	8.75	34.3	215	1000	C
JKMS220PP-60	8.85	34.5	220	1000	C
JKMS225PP-60	8.92	34.8	225	1000	C
JKMS230PP-60	9.01	35.0	230	1000	C
JKMS235PP-60	9.10	35.2	235	1000	C
JKMS240PP-60	9.17	35.4	240	1000	C
JKMS245PP-60	9.23	35.6	245	1000	C
JKMS250PP-60	9.32	35.8	250	1000	C
JKMS255PP-60	9.39	36.1	255	1000	C
JKMS260PP-60	9.45	36.2	260	1000	C
JKMS265PP-60	9.51	36.7	265	1000	C

Last Updated on 2015-05-28

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

© 2015 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2015 UL LLC".